

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – Conducting of Regular enquiry against Sri T.Venkata Subba Rao, Executive Engineer (Retd.), formerly working in the Office of G.N.S.S. Division, Kadapa, as he failed to obtain prior permission from the competent authority before acquiring of movable and immovable properties and failed to submit Annual Property Returns from 1976 to 2000 and 2002 to 2004, to the competent authority in violation of Conduct Rules - Appointment of Sri C.Prabhakar Rao, Chief Engineer, Quality Control, Rayalaseem Region, Kadapa as Inquiring Authority in place of Sri B.S.Vivekananda Murthy, Chief Engineer, who was retired from Govt. Service on 31-12-2010 on attaining the age of superannuation – Orders – Issued.

IRRIGATION & C.A.D. (IW:SERVICES-VI(1) DEPARTMENT

G.O.Rt.No. 1072.

Dated 22-10-2011.

Read the following:-

1. G.O.Rt.No. 1642, Irrigation & CAD (IW:Ser.VI(1) Department, dated 21-10-2009.
2. G.O.Rt.No.1857, Irrigation & CAD (IW:Ser.II) Department, dated 14-12-2009.

* * *

ORDER:

An inquiry under rule 20 of the A.P. Civil Services (Classification, Control & Appeal) Rules, 1991 has been ordered against Sri T.Venkata Subba Rao, Executive Engineer (Retd.), formerly working in the office of the G.N.S.S. Division, Kadapa, by appointing Sri B.S.Vivekananda Murthy, Chief Engineer, Quality Control for Rayalaseem Region, Kadapa as Inquiring Authority in place of Sri C.Muralidhar, Chief Engineer (Projects), Irrigation, Kadapa, to conduct departmental inquiry into the charges framed against Sri T.Venkata Subba Rao, Executive Engineer (Retd.) vide references 1st read above.

2. In the reference 2nd read above, orders were issued notifying the date of retirement from service of Sri B.S.Vivekananda Murthy, Chief Engineer, Quality Control for Rayalaseem Region, Kadapa was 31-12-2010 on attaining the age of superannuation, without prejudice to the Disciplinary cases/enquiries if any, pending against him.

3. Government therefore, in exercise of powers conferred by Rule 9(2)(a) of A.P.Revised Pension Rules, 1980 read with sub-rule (2) of Rule 20 of A.P.Civil Servies (CC&A) Rules, 1991 hereby appoints Sri C.Prabhakar Rao, Chief Engineer, Quality Control, Rayalaseema Region, Kadapa as Inquiring Authority in place of Sri B.S.Vivekananda Murthy, Chief Engineer, who was retired from Govt. Service on 31-12-2010 on attaining the age of superannuation, to conduct departmental enquiry into the charges framed against Sri T.Venkata Subba Rao, Executive Engineer (Retd.).

4. The Inquiring Authority shall complete the inquiry and submit his report with in two months.

5. Receipt of this order may please be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAILENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri C.Prabhakar Rao, Chief Engineer, Quality Control,
Rayalaseema Region, Kadapa.

He is requested to collect the Articles of Charges and Written Statement of Self Defence submitted by the charged officer from
Sri B.S.Vivekananda Murthy, Chief Engineer (Retd.).

(P.T.O.)

::2::

Sri B.S.Vivekananda Murthy, Chief Engineer (Retd.),
Quality Control Wing for Rayalaseema Region, Kadapa thro' the Engineer-in-Chief (AW), I & CAD Dept., Hyderabad.

He is requested to handed over the the Articles of Charges and Written Statement of Self Defence submitted by the charged officer to Sri C.Prabhakar Rao, Chief Engineer, Quality Control, Rayalaseem Region, Kadapa.

The Engineer-in-Chief (AW), I & CAD Dept., Hyderabad.

Sri T.Venkata Subba Rao, Executive Engineer (Retd.), through
Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

The Director General, Anti-Corruption Bureau, Hyderabad.

The Secretary to Vigilance Commission,

A.P.Vigilance Commission, Hyderabad.

SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER